

Deerpfield have MHC
Lyons Road gate systems
Two gates


Matrix Electric
Lic # EC13002252
Ph # 561.662.0688

Existing gate systems (2)
Relocate key pad as per fire Marshall

Relocate key pad and auto dialer APK 2' as
per fire Marshall, both hi and low voltage.

Hi voltage - #14 CU on IP15 1 hot / neutral / ground
low voltage - phone cable and control cable

All cables - phone wire - hi voltage - control wiring
is existing. No additions or changes to
existing - just relocate over 2'.



Set road rated 20,000 lb
direct burial box w/
PVC J boxes inside
one each for hi and low
voltage AT existing
location AND stub
over 2' to new
location

All work as per NEC & FBC

LYONS ROAD

the move

PROPOSED SIGN "RESIDENTS AND EMERGENCY VEHICLES ONLY USE MAIN ENTRANCE ON HILLSBORO BLVD."

EXISTING STOP BAR, STOP SIGN, AND RIGHT TURN ONLY SIGN

PROPOSED SIGN "RESIDENTS AND EMERGENCY VEHICLES ONLY USE MAIN ENTRANCE ON HILLSBORO BLVD."

EXISTING STOP BAR AND STOP SIGN

EXISTING SIDEWALK

PROPERTY LINE

EXIST. WALL

EXIST. DRIVEWAYS

ISLAND WITH RESIDENT ACCESS BOX AND EMERGENCY KNOX BOX

PROPOSED ENTRY GATE

EXIST. DRIVEWAY

Entrance

24'

62'

14'

25'

NW 67TH COU

EXIST. PALM TREES AND SHRUBS

EXIST. WALL

14'w Entrance Lane new island

PROPOSED EXIT GATE

WIDEN PAVEMENT TO 25' AND TAPER BACK TO EXISTING



EXIST. ASPHALT

NW 45TH TERRACE

EXIST. WALL

EXIST. DUMPSTER/TRASH AREA

EXIST. GATES

PROPOSED ENTRY GATE

EXISTING MAINTENANCE BUILDING

EXIST. PALM TREES

EXIST. GATE

EXIST. ASPHALT

Exit

22.5'

4.62'

25'

NW 68TH S

JOHNSON RC