

**NOTES:**

**PERMIT SET**  
MUST BE ON SITE AT ALL TIMES DURING CONSTRUCTION

**MATERIAL**  
ALL MATERIAL USED AND INSTALLATIONS MADE WITHIN THE PUBLIC RIGHT-OF-WAY OR EASEMENTS SHALL BE IN ACCORDANCE WITH BROWARD COUNTY ENGINEERING DIVISION "MINIMUM STANDARDS"

**NOTICE**  
**INSPECTION REQUIRED**  
24 HRS. PRIOR TO COMMENCING ANY WORK IN THE PUBLIC RIGHT-OF-WAY CONTACT THE BROWARD COUNTY ENGINEERING DIVISION AT (954)357-8233 FOR INSPECTION

**NOTE**  
APPROVAL OF THIS PLAN DOES NOT CONSTITUTE A PERMIT FOR CONSTRUCTION. A PERMIT FOR CONSTRUCTION MUST BE OBTAINED FROM THE BROWARD COUNTY ENGINEERING DIVISION PRIOR TO COMMENCING CONSTRUCTION IN THE PUBLIC RIGHT-OF-WAY.

2" TYPE S-I ASPHALT AND 12" LIMEROCK BASE REQUIRED UP TO BRICK PAVERS. INTERIOR ROADWAYS SHALL HAVE 1.5" TYPE S-II ASPHALT WITH 8" LIMEROCK BASE.

THE PROPOSED WATER SERVICE FOR THE TEMPORARY SALES TRAILER SHALL BE INSTALLED PRIOR TO THE CONSTRUCTION OF THE ENTRANCE ROADWAY AND THE WATERMAIN TIE-IN. PAVEMENT FOR EXISTING HILTON ROAD SHALL BE REPLACED PER BROWARD COUNTY STANDARDS.


CONTRACTOR SHALL VERIFY LOCATION OF ALL EXISTING UTILITIES PRIOR TO CONSTRUCTION

CONTRACTOR SHALL VERIFY LOCATION OF ALL COUNTY TRAFFIC SIGNAL INTERCONNECT CABLE. IT SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR TO REPLACE ANY DAMAGED CABLE IN ACCORDANCE WITH THE BROWARD COUNTY TRAFFIC ENGINEERING DIVISION STANDARDS.

TRAFFIC INTERCONNECT CABLE SHALL BE RELOCATED OUTSIDE OF THE PROPOSED TURN LANE PAVEMENT PER THE B.C.T.E. STANDARDS

EROSION AND SEDIMENT CONTROL (PER FDOT STANDARD INDEX NO. 102) MUST BE PROVIDED BY CONTRACTOR DURING CONSTRUCTION.



PAVEMENT MARKINGS SHALL BE REFLECTIVE THERMOPLASTIC. USE 5750 TAPE AND E44 ADHESIVE FOR PAVEMENT MARKINGS, ARROWS, LINES, ECT. ON PAVEMENT BLOCKS. ALL R1-1 30" x 30" STOP SIGNS SHALL BE HIGH INTENSITY REFLECTIVE MATERIAL.



- A. 2" TYPE S-I A.C.S.C.
- B. 12" COMPACTED LIMEROCK BASE, MIN. % CARBONATE = 70%, MIN. LBR = 100.
- C. 12" STABILIZED SUBGRADE, MIN. LBR = 40, COMPACTED TO 98% OF MAX. DENSITY, PER A.A.S.H.T.O. T180

**SECTION B-B**

n.t.s.



| REVISIONS | DATE | BY |
|-----------|------|----|
|           |      |    |
|           |      |    |
|           |      |    |
|           |      |    |

**CAULFIELD & WHEELER, INC.**  
 CIVIL ENGINEERING - LAND PLANNING  
 LANDSCAPE ARCHITECTURE - SURVEYING  
 7501A W. PALMETTO PARK ROAD - SUITE 100A  
 BOCA RATON, FLORIDA 33433  
 PHONE (561) 392-1991 / FAX (561) 750-1452

**FOOD FOR THE POOR  
 OFFICE / WAREHOUSE  
 PROPOSED RIGHT TURN LANE  
 (LYONS RD - SAWGRASS OFFICE COMPLEX)**  
 COCONUT CREEK, FLORIDA

DATE 2/19/04  
 DRAWN BY BAH  
 F.B./ PG. N/A  
 SCALE 1" = 20'

JOHN F. WHEELER  
 PROFESSIONAL ENGINEER  
 CERT. NO. 25478  
 STATE OF FLORIDA  
 ENG. NO. EB-0003591  
 DATE 05 2004

JOB # 3212  
 SH1 NO.  
**C-14**  
 OF 14 SHEETS