



NOTES:

1. ALL PVC SEWER MAIN SHALL BE SDR 26
2. ALL 4" FIRE SERVICES TO BE CLASS 52 D.I.P.
3. ALL 2" WATER SERVICES TO BE SDR 9 P.E.

REVISIONS	BY
2-19-14	SITE PLAN RESUBMITTAL
4-3-14	SITE PLAN RESUBMITTAL
7-14-14	PMDD RESUBMITTAL
8-08-14	DRC RESUBMITTAL

MIDTOWN RESIDENCES AT COCONUT CREEK
 FOR:
 FLORIDA CRYSTALS
 LOCATED AT:
 COCONUT CREEK, FLORIDA

MSA ARCHITECTS, INC.
 MIAMI OFFICE
 7695 SW 104th ST.
 SUITE 100
 MIAMI, FLORIDA 33156
 (305) 273-9911



WATER AND SEWER PLAN

DRAWN _____
 CHECKED _____
 DATE 12/19/2013
 SCALE AS SHOWN
 JOB NO. _____
 SHEET _____



CONSULTING ENGINEERING & SCIENCE, INC.
 10700 N. KENDALL DRIVE, SUITE 400
 MIAMI, FLORIDA 33178 (305) 378-5555
 EB-0003255

FOR THE FIRM:
 RICHARD B. BOCHNOVICH
 PE - 19833 (CIVIL)

CES PROJECT NO.: 13075

WATER AND SEWER PLAN
 SCALE: 1" = 40'