MATCH LINE (SEE SHEET WS1 FOR CONTINUATION)

SANITARY SERVICE NOTE:

1. CONTRACTOR SHALL NOTIFY THE CITY OF COCONUT CREEK ENGINEERING DEPARTMENT AT 954-972-0828 TO SCHEDULE THE 4"X8" WYE CONNECTION FOR INSPECTION THE CITY INSPECTOR MUST BE PRESENT FOR THIS CONNECTION.
2. 6" MINIMUM VERTICAL SEPARATION SHALL BE MAINTAINED AT ALL UTILITY CROSSINGS.

LEGEND

PROPOSED ASPHALT

PROPOSED CONCRETE

KEY MAP(NTS)

DRC SUBMISSION
PRELIMINARY NOT FOR CONSTRUCTION
ELEVATIONS SHOWN ARE NGVD 29
(NAVD88=NGVD29-1.565')

3 WATER AND SEWER PLAN
1"= 20'-0"

0 10' 20' 40'

811 KNOW WHAT'S BELOW. ALWAYS CALL 811 BEFORE YOU DIG. It's fast. It's free. It's the law. www.callsunshine.com

SYNALOVSKI ROMANIK SAYE
Architecture • Planning • Interior Design
1800 Eller Drive, Suite 500
Fort Lauderdale, FL 33316
T 954.961.6806
F 954.961.6807
www.synalovski.com

NICHOLAS B. MAHON, P.E.
STATE OF FLORIDA PROFESSIONAL ENGINEER
LICENSE No. 78361
Nicholas B. Mahon, PE
Digitally signed by Nicholas B. Mahon, PE
DN: cn=Nicholas B. Mahon, PE, o, ou=Calvin, Giordano & Assocaites, Inc., email=nmahon@cgasolutions.com, c=US
Date: 2016.02.05 17:15:59 -05'00'
Certificate of Authorization 514

Calvin, Giordano & Associates, Inc.
EXCEPTIONAL SOLUTIONS
1800 Eller Drive, Suite 600, Fort Lauderdale, Florida 33316
Phone: 954.921.7781 • Fax: 954.921.8807

WINDMILL PARK

700 LYONS ROAD
COCONUT CREEK, FL 33063

CLIENT: CITY OF COCONUT CREEK

REV	DATE	DESCRIPTION
1	12/14/2015	DRC REVIEW COMMENTS
2	01/13/2016	DRC REVIEW COMMENTS

DESIGN DELIVERABLE: 100% COMPLETION SET
ISSUE DATE: 01/13/2016

PROJECT NUMBER: 1252-140622
DRAWN BY: JB
CHECKED BY: NBM

Copyright (c) by SYNALOVSKI ROMANIK SAYE
All Rights Reserved.

SHEET TITLE:
WATER AND SEWER PLAN

SHEET NUMBER:
WS3