




Site Survey

3850 Coconut Creek Pkwy, Coconut Creek, FL

APPROVED

DATE: 5/17/10 BY: [Signature]

ADMINISTRATIVE APPROVAL

Client Review Status		Date / Description		Project Information	
Allen Industries, Inc. requires that an "Approved" drawing be obtained from the client prior to any production release or production release revision.		9/4/09	Issue Date	Client	BB&T
☐ Approved	☐ Approved as Noted	04/28/10	Add pole cover to dir /LB	3850 Coconut Creek Pkwy	
☐ Approved		04/28/10	Add median dimensions /LB	Coconut Creek, FL	
Name		02/04/10	Rmv panel replace pg 4/LB	File	BB&T 3850 Coconut Creek Pkwy Coconut Creek Site Survey_R5
Title		02/12/10	Rmv monument/LB	Sales	CB Design DJS PW PP

This is an original unpublished drawing, created by Allen Industries, Inc. It is submitted for your personal use in connection with the project being planned for you by Allen Industries, Inc. It is not to be shown to anyone outside your organization, nor used, reproduced, copied or exhibited in any fashion whatsoever. All or part of this design (except for registered trademarks) remain the property of Allen Industries, Inc.


Allen Industries
Corporate Identity Programs


Corporate Headquarters

6434 Burnt Poplar Road, Greensboro, NC 27409
Phone 800-967-2553 Fax 336-688-7875

Because Image Is Everything™











Non-Lighted Reverse-Channel Letters NL-24

Scale: 3/8" = 1'-0"

NOTE : When burg. faces are used, the returns will be BB&T gray



CURRENT




PROPOSED

SCOPE OF WORK

- 1.) Remove existing flush mounted face non-lighted channel logo and letterset.
- 2.) Install NEW 24" non-lighted BB&T letters NL-24.
- 3.) Repair, patch and paint any remaining blemishes to wall surface caused by previous letterset and current installation.

Proposed Signage: placement still yet to be determined by city and LLD



CONSTRUCTION: Custom Directional Signs
 fabricated of aluminum frame with .080 aluminum faces & sides.
 welded construction: NO visible fasteners.
 Custom painted to replicate top of standard directional.
 3" x 3" square support tube
COLORS: See layout for color call outs.

INSTALLATION: Sign posts set in 9" diam. X 20" deep sacrete foundations
 (as per drawing).

CUSTOM DIRECTIONAL
 Scale: 3/4" = 1"

SCOPE OF WORK

- 1.) Remove existing Colonial Bank directional sign.
- 2.) Replace with NEW BB&T custom directional sig.



Because Image Is Everything™