


GENERAL NOTES MINIMUM FINISH FLOOR ELEVATIONS FOR ALL STRUCTURES IS: +16'-0" N.G.V.D. (+14.44' N.A.V.D.) 2. ALL BUILDINGS SHALL BE LOCATED WITHIN 300 FT. OF A FIRE HYDRANT 3. POTABLE WATER NOT TO BE USED FOR IRRIGATION. . OVERHEAD UTILITIES ALONG SAMPLE ROAD AND WITHIN THE PROJECT SHALL COMPLY WITH PMDD UTILITIES REQUIREMENT AND BE PLACED UNDERGROUND. NEW 5' HIGH PERIMETER POOL FENCE TO HAVE SELF-CLOSING 36" WIDE DOOR AND LATCH, SEE SHEET A-1.2 3. REFER TO CIVIL DRAWINGS FOR HC SIGNAGE DETAILS. 7. FOR PAVEMENT & MARKING DETAILS REFER TO CIVIL DRAWINGS. B. PROPOSED EASEMENTS TO BE DETERMINED BY SEPARATE). ALL SIDEWALKS PAVERS TO BE MINIMUM 5'-0" WIDE, UNLESS NOTED OTHERWISE 10.FIRE DEPT. EXIT GATE TO BE MIN. 3'-0" CLEAR AT SIDE WALK FOR PEDESTRIAN ACCESS. 11. ALL FIRE HYDRANT CLEAR ZONES SHALL BE FREE OF LANDSCAPE (EXCEPT SOD), MAIL BOXES, PARKING, LAMP-POSTS AND ALL OTHER OBJECTS. 12. ANY PROPOSED ROOF MOUNTED EQUIPMENT, INCLUDING BUT NOT LIMITED TO AIR CONDITIONING SYSTEMS, MUST BE SCREENED FROM VIEW FROM ABUTTING PUBLIC ROAD & RIGHT-OF-WAYS. 13.REFER TO PARTIAL SITE PLANS (SHTS. A-1.1 TO A-1.4) FOR ADDITIONAL DIMENSIONS & NOTES. 14.ALL PUBLIC SIDEWALKS AND TRAILWAY PATH IMPROVEMENTS SHALL BE COLORED CONCRETE COLORS INCLUDE: SOLOMON COLORS, INTEGRAL COLORS FOR COLORED CONCRETE: 415 RED=VENETIAN RED. THIS APPLIES TO THE SIDEWALK ALONG SAMPLE ROAD, STREET TYPE "A" AND NORTHERN PROPERTY LINE. 5.CONSTRUCTION OF CLUBHOUSE/POOL TO BE COMPLETED PRIOR TO ISSUANCE OF 25% CERTIFICATE OF OCCUPANCY.





DRAWN

CHECKED
DATE 08/20/2014

SCALE AS SHOWN

JOB NO. 1528.PRJ

SHEET 1528-A-1.3.DWG

REVISIONS

SITE PLAN

SITE PLAN

SITE PLAN

RESUBMITTAL 02/19/14

RESUBMITTAL#2 04/08/14

′RESUBMITTAL#3 07/17/14

RESUBMITTAL#4 08/20/14



A-1.3