



NOTES:

- 1.) SILT FENCE TO BE CONSTRUCTED WHEREVER OFFSITE AREAS ARE LOWER THAN ADJACENT ONSITE ELEVATIONS.
- 2.) CATCH BASIN FABRIC TO BE PLACED ON AREA INLETS SUBJECT TO SEDIMENTATION FROM THIS PROJECT.
- 3.) ALL EROSION CONTROL DEVICES SUCH AS RUBBLE STRIPS, SILT FENCE AND OTHER BMPs SHALL BE INSTALLED PRIOR TO CONSTRUCTION.

[illegible]

SITE ENTITLEMENTS

PROJECT No.:	F14018
DRAWN BY:	AA
CHECKED BY:	MA
DATE:	07/28/15 (TYP
CAD I.D.:	F140188 - ECP PLAN

PROJECT:

SHELL / DAILY'S
C-STORE No. 1810

FOR
**FIRST COAST
ENERGY**

CITY OF COCONUT CREEK
FLORIDA



RADICE III
1000 CORPORATE DRIVE, SUITE 250
FORT LAUDERDALE, FL 33334
PH: (954) 202-7000
FX: (954) 202-7070
www.ThomasEngineeringGroup.com

MICHAEL A. TROXELI

PROFESSIONAL ENGINEER
June 23, 2017
FLORIDA LICENSE No. 50572
FLORIDA BUSINESS CERT. OF AUTH. No. 2752

SHEET TITLE:

EROSION CONTROL PLAN

SHEET NUMBER

C-02