

- EXIST. CONC. FOUNDATION TO REMAIN (SEE STRUCT. DWG'S.) EXIST.
- EXIST. CONC. FLOOR SLAB TO REMAIN (SEE STRUCT. DWG'S.)
- EXIST, CONC. BEAM OR TIE BEAM TO REMAIN
- (SEE STRUCT. DWG'S.) EXIST. CONC. COLUMN TO REMAIN (SEE STRUCT.
- EXIST. STUCCO FINISHED CONC. OR 8" MASONRY
- EXIST. PAINTED, EXPOSED 8" x8" STACKED
- MASONRY WALL TO REMAIN.
- EXIST. DRYWALL FINISHED FRAME WALL TO REMAIN.
- EXIST. HEAVY TIMBER WD. STRUCTURE TO REMAIN.
- EXIST. EXPOSED WD. CEILING TO REMAIN.
- EXIST. EXPOSED WD. LOUVERS TO REMAIN.
- EXIST, CONC. SIDEWALK TO REMAIN.
- EXIST. CONC. PAVER WALK TO REMAIN.
- EXIST. PAINTED MTL. STAIR, SAFEGUARD & HAND RAIL TO REMAIN. (TYP.)
- EXIST. DOOR or WINDOW UNIT TO REMAIN (SEE DOOR & WINDOW SCHEDULES)
- EXIST. PAINTED MTL. SECURITY SCREEN INFILL TO REMAIN. (TYP.)
- EXIST. PAINTED MTL. SECURITY GATE TO
- REMAIN. (TYP.)
- EXIST. EXPOSED UNDERSIDE OF SLAB TO REMAIN.
- (NOT USED)
- (NOT USED)
- NEW REINF. CONC. FOUNDATION TO BE ADDED. (SEE STRUCT. DWG'S.)
- NEW REINF. CONC. FLOOR SLAB TO BE ADDED. (SEE STRUCT. DWG'S.)
- NEW REINF. CONC. BEAM OR TIE BEAM TO BE
- ADDED. (SEE STRUCT. DWG'S.)
- NEW REINF. CONC. COLUMN TO BE ADDED. (SEE STRUCT. DWG'S.)
- NEW STUCCO FINISHED CONC. OR 8" MASONRY TO BE ADDED. (SEE STRUCT. DWG'S.)
- NEW PAINTED, EXPOSED 8" x8" STACKED MASONRY WALL TO BE ADDED & MATCH EXIST. (SEE STRUCT. DWG'S.)
- NEW DRYWALL FINISHED FRAME WALL.
- NEW TILE FINISHED FRAME WALL.
- NEW EXPOSED WD. CEILING STRUCTURE TO BE ADDED.
- NEW EXPOSED WD. CEILING TO BE ADDED.
- NEW CONC. SIDEWALK TO BE ADDED.

- NEW CONC. PAVER WALK TO BE ADDED & MATCH
- PAINTED, FLUSH MTL. DOOR UNIT (SEE DOOR SCHEDULE)
- 33 PAINTED, FLUSH WOOD DOOR UNIT (SEE DOOR
- SCHEDULE) ALUMINUM DOOR UNIT W/ IMPACT RESISTANT
- GLAZING (SEE DOOR SCHEDULE) 35 ALUMINUM WINDOW & DOOR UNIT W/ IMPACT
- RESISTANT GLAZING (SEE DOOR & WINDOW SCHEDULES)
- ALUMINUM WINDOW W/ IMPACT RESISTANT GLAZING (SEE TO WINDOW SCHEDULE)
- impact rated, painted motorized Stl. COILING ROLL-UP OVERHEAD DOOR (SEE DOOR SCHEDULE)
- CLR. ANOD. FIXED ALUM. IMPACT RESISTANT VENT. LOUVER (REFER TO WINDOW SCHEDULE)
- NEW PAINTED MTL. PAN ROOF SYSTEM OVER
- GALV. MTL. DRIP FLASHING OVER PAINTED P.T. 1x4 NAILER ON NEW or EXIST. 2x8 WOOD FASCIA (TYP.)

RIGID INSUL. (SEE ROOFING SPEC. & N.O.A.)

- REINF. CONCRETE BEAM OR TIE BEAM. (SEE STRUCT, DWG'S.)
- MIN. 1/2" 2-COAT CEMENT STUCCO FINISH OVER CONC. OR 8" MASONRY
- MIN. 3/4" PAINTED STUCCO FINISHED EXTERIOR WALL OVER PLYWD. SHEATHING ON GALV. MTL. FRAMING AT 16" O.C. (TYP. - SEE STRUCT. DWG'S.)
- PAINTED GYP. WALLBD. FINISHED PARTITION ON GALV. MTL. STUD FRAMING AT 16" O.C. (TYP. U.O.N. - SEE FINISH SCHEDULE)
- PAINTED GYP. WALLBD. FINISH ON MTL. FURRING @ 24" O.C. OVER 8" CMU WALL INFILL (TYP. U.O.N. - SEE FINISH SCHEDULE)
- 5/8" PAINTED GYPBD. FINISH ON P.T. WD. or MTL. HAT-CHAN. FURRING AT 24" O.C. W/ FOIL FACED INSULATION (R-4.01 - TYP.)
- LAY-IN ACOUSTICAL TILE CEILING PANELS WITH MTL. GRID SUPPORT SYSTEM. (SEE REFLECTED CEILING PLANS FOR SIZE & ORIENTATION.)
- 5/8" PAINTED GYPBD. CLG. ON SUSP'D. MTL. CHAN. FURRING AT 24" O.C. (SEE STRUCT. DWG'S.)
- 5/8" PAINTED GYPBD. CLG. ON GALV. MTL. STUD FRAMING AT 24" O.C. (SEE STRUCT. DWG'S.)
- 3/4" PAINTED PLYWD. SHEATHING ON GALV. MTL.
- STUD FRAMING AT 24" O.C. (SEE STRUCT. DWG'S.) 3/8" CLR. LUCITE PANELS OVER LOUVERS SECURED TO EXIST. WD. STRUCT. THRU PRE-DRILLED HOLES AT 4" FROM CORNERS & 6" O.C. MAX ALONG THE

SECTION NOTES LEGEND

SECION NOTE LEGEND AND SECTION

Synalovski**Romanik**Say

1800 Eller Drive, Suite 500 Fort Lauderdale, FL 33316

www.synalovski.com

T 954.961.6806 F 954.961.6807

Manuel Synalovski, AIA AR 0011628

LICENSE NO. AA26001863

MINDWILL

DELIVERABLE: PERMIT SET ISSUE DATE: **01/26/16**

PROJECT NUMBER: 1252-140622

DRAWN BY: KW CHECKED BY: MR

Copyright (c) by SYNALOVSKI ROMANIK SAYE All Rights Reserved.

EXISTING PAVILION BUILDING SECTIONS

A1-6.0

4 | WALL SECTION 3/4" = 1'-0"

BUILDING CROSS SECTION (Facing South)

1/4" = 1'-0"